

Packaging Dispensers & Dispensing Equipment

Dispenser Pumps

Models D30-38-C Dispenser Pump

Features

- · Have strong pumps, making them robust
- Lockable in the down position to aid with transportation
- Are durable, for a longer life
- Have been designed for low viscosity products - ideal for washing-up liquids
- Have broad chemical compatibility, meaning they can be used with a wide range of chemicals
- Are reusable, making them economical

Specifications

- 30ml +/- 2ml (1 ounce) dosage
- 38mm R6 screw cap
- 270mm dip tube

Uses

- Hand cleaners
- Glass cleaners
- Detergents
- Disinfectants
- Shampoo/Moisturiser
- Body lotions
- Catering sauces
- Concentrated drinks Animal feed supplements

Materials

- Head, plunger, collar, cap,
- body: polypropylene
- Ball valves: glass
- Gasket: EPE

25L

Spring: stainless steel



Model D30-CC Dispenser Pump

We fit them to your cap ensuring compatibility

Features

- Have strong pumps, making them robust • Are durable, for a longer life
- Have been designed for low viscosity
- products ideal for washing-up liquids
- Have broad chemical compatibility, meaning they can be used with a wide range of chemicals
- Are reusable, making them economical

Specifications

- 30ml +/- 2ml (1 ounce) dosage
- Available without cap or we fit them to your cap for you
- 495mm dip tube
- Dip tube cut to suit your container

Materials

- Upper ball valve, head, plunger, collar, cap, body, valve retainer, suction pipe: polypropylene
- Flap valve: expanded polyethylene
- Spring: stainless steel



Dispensing Taps

Benefits

- Easy, fast and clean dispensing without gurgling
- Available for all common thread sizes
- Drip-off edge for clean dosing

- Smooth moving lever for easy operability
 Beveled outlet for convenient decanting, even in narrow bottle necks Highflow rates
- Resistance to a multitude of chemicals • Fit for human consumption under the
- food law

Applications Decanting especially of:

- Liquid foodHygiene and care products
- Cleaners
- Agrochemicals
- Lubricants, engine and gear oil
- Industrial chemicals



F3-61L







F3-71L



Description	Item Number	Qty Per Carton	Qty Per Pallet
F3-38 AH 13/38 for DIN 38 thread	402 144	750 pieces per carton	15000 per pallet
F3-51L AH 23/51 for DIN 51 thread	407 124	250 pieces per carton	5000 per pallet
F3-61L AH 23/61 for DIN 61 thread	408 124	200 pieces per carton	4000 per pallet
F3-71L AH 23/71 for DIN 71 thread	410 320	125 pieces per carrton	2500 per pallet
F3-3/4 AH23/3/4" with 3/4 external thread	409 120	250 pieces per carton	5000 per pallet

Model T4 Trigger Sprayer

Features

- A vertical pump mechanism, which means a lower cost
- Angular lines, making it visually smart
- An ergonomical design, so it is comfortable to hold and easy to use
- An easy-to-grip 3-position square nozzle that offers a
- A standard spray and a directional stream or jet spray

Specifications

- 0.75 cc output
- Standard colours are all white; all black or all natural
- 28mm 400 screw cap
- 28mm 410 screw cap
- 260mm dip tube
- Dip tube cutting service available

Uses

04

- Kitchen and bathroom cleaners
- Textile cleaners
- Glass cleaners
- De-icers
- Water repellents

Trigger Spray Heads – T8

Model T8 Trigger Sprayer

Features

- Stylish design
- Ergonomic for maximum user comfort
- Generous with a 1.3ml output
- Fully adjustable from a fine mist to a stream

Options

- Enhance your product with a foaming nozzle
- Spray further with a lance extension

Specifications

- 1.3 ml output
- Standard colours are all white or all black
- 28mm 400 screw cap
- 245mm dip tube

Uses

- Industrial Cleaners
- Automotive Products
- Glass Cleaners

Materials

- Body, shroud, filter, connection, trigger, nozzle, cap: polypropylene
- Dip tube, piston: polyethylene
- Spring, ball valve: stainless steel
- Gasket: Polyethylene/EPE
- Spinner valve: POM
- O-ring: Nitrile

Model T9 Heavy Duty Adjustable Trigger Sprayer

Features

- A natural body, with a modern "technical"look
- A heavy duty sprayer, which is re-usable and economical
- A fully adjustable nozzle
- A protected reventing system which avoids damage under the trigger
- A dip tube filter, which stops any particles blocking the internal parts of the sprayer
- A choice of five colours, allowing you to colour-code your products and make them easier to use

Specifications

- 1ml output
- Standard colours are white/natural, red/natural, blue/natural, green/natural and yellow/natural

100.30


28mm screw cap260mm dip tube

• 20011111

Uses

000 in

- Household
- Horticultural
- Industrial
- Hairdressing
- Automotive



435

Bottles

B75 – 750ml Bottle, Plain or Printed

Features

- A sturdy bottle, making it more robust
- · An round base, which means it has greater stability
- Graduations on the side, so it's easy to get the right chemical dilution
- Optional printing, which is the perfect way to promote your company

Specifications

- 750ml capacity
- 28mm 400 neck
- Graduation to dilute concentrated chemicals if required
- Extra large print area of 230mm x 90mm

Uses

- Pet products
- Spot removers cleaners
- Spectacle cleaners
- Water repellents Insect repellents
- Fragrances

Packing Specification

84 Per Carton 840 Half Pallet 1260 Full Pallet

Magnum Range





B50-MAG-28N

Specifications • 500ml capacity • 28mm - 410 neck

Packing Specification 196 Per Carton 3136 Full Pallet

B75-MAG-28N

Specifications • 750ml capacity • 28mm – 410 neck

Packing Specification 132 Per Carton 2112 Full Pallet



B100-MAG-28N

Specifications • 1Lt capacity

• 28mm – 410 neck

Packing Specification 100 Per Carton 1600 Full Pallet

We cannot guarantee comprehensive chemical resistance of specific applications and it remains the responsibility of the customer to test applications prior to use

Syphon Pumps & Adaptors

Model SP1 Small Syphon Pump

Features

- Is good quality, for a long life Is a simple, low-cost
- pumping system, making it economical
- When primed, liquid will flow from a higher source for effortless delivery

Specifications

- Total length: 530mm, suction tube length: 390mm, discharge tube length: 540mm
- Delivery: approximately 6.5 litres per minute
- Weight: 67g approximately

Uses

- Kerosene
- Light oils
- Petrol
- Water

Materials

08

 The main material in the Model SP1 Small Syphon Pump is polyethylene

Packing Specification 120 Per Carton



Model SP2 Large Syphon Pump

Features

- · Is good quality, for a long life
- Is a simple, low-cost pumping system, making it economical
- When primed, liquid will flow from a higher source for effortless delivery

Specifications

- Total length: 1210mm, suction tube length: 855mm, discharge tube length: 1180mm (approximately)
- Delivery: approximately 19 litres per minute
- Weight: approximately 410g

Uses

- Kerosene
- Light oils
- Petrol Water
- Detergents • Mild acids
- Anti-freeze

Materials

 The main materials in the Model SP2 Large Syphon Pump are polyethylene and polypropylene

Packing Specification 24 Per Carton

Tips: These NOT FOR USE with:

- Creosol Ethyl Phenol Methyl ethyle Nitric acid
- Concentrated caustic soda liquid Hydochloric acid Sulphuric acid



Model AM-B Adapter

Features

- Converts plastic containers with an internal or female, Mauser 70 x 6 Buttress Thread to an internal thread
- Most drum pumps and large syphon pumps have a male 2" BSP thread, to screw into steel drums
- Plastic drums have a more coarse thread form and so an adapter is required to convert the thread to 2" BSP

Specifications

- Internal female thread form is 2" BSP.
- The External male thread form is known as 70 x 6TS

Materials

Polypropylene

Model ATRI-BS Adapter

Features

- · Converts plastic containers with an internal or female, Tri-Sure 56 x 4 Buttress Thread to a internal thread
- Most drum pumps and large syphon pumps have a male 2" BSP thread, to screw into steel drums
- Plastic drums have a more coarse thread form and so an adapter is required to convert the thread to 2" BSP

Specifications

- Internal female thread form is 2" BSP. External male thread form is 56mm
- maximum diameter x 4TS

Materials

Polypropylene

Tips: What is the thread size/fitting on my drum?

Steel containers generally have a 3/4? and/or 2"BSP (British Standard Pipe) or fine thread. It is very difficult to produce plastic containers with such a fine thread and so they have more coarse threads. The two most common plastic threads are a 56 x 4 Buttress Thread and the more coarser 70 x 6 Buttress Thread. Most drum pumps will have a standard 2" BSP thread and so we supply Drum Adapters to suit both of the Buttress threads above. Containers can have Internal (Female) threads (as above) or External (Male) threads which are sealed with a cap.

Solvent Sprayers

S1PA – Sprayer – 1lt Nylon Pump

Features

- Polyamid (type of Nylon) pump, giving excellent resistance to solvents
- Seals made from Viton, the best overall resistant seal material
- Container pressurised by pump action, making it easy to use
- Adjustable nozzle, giving a variable spray pattern

Specifications

- 1 litre total capacity
- 0.75 litre working capacity
- Dimensions(approximately):height:278mm, width: 190mm, container diameter: 98mm
 Weight (approximately): 400g

Uses

- Hydrocarbon based solvents
- De-greaser products

Materials

- Polypropylene
- Polyethylene
- PolyamidStainless steel
- Viton

Packing Specification

30 Per Carton 180 Half Pallet 360 Full Pallet

S2PA – Sprayer – 1.5lt Nylon Pump

Features

- Polyamid (type of Nylon) pump, giving excellent resistance to solvents
- Seals made from Viton, the best overall resistant seal material
- Container pressurised by pump action, making it easy to use
- Adjustable nozzle, giving a variable spray pattern

Specifications

- 1.5 litre total capacity
- 1.3 litre working capacity
- Dimensions(approximately):height:305mm, width: 215mm, container diameter: 135mm
- Weight (approximately): 490g

Uses

- Hydrocarbon based solvents
- De-greaser products

Materials

- Polypropylene
- Polyethylene
- Polyamid
- Stainless steel
- Viton

Packing Specification

30 Per Carton 180 Half Pallet 360 Full Pallet

Hand Pressure Sprayers

SA2-V - Sprayer - 1.8lt Viton

Features

- A big seller for many applications, giving you great confidence in the product
- A plated metal rod pump, for extra strength
 A long-reach lance, giving access to difficult
- areas • A fully adjustable nozzle, allowing you to
- produce a fine spray, a coarse spray or a jet spray
- A graduated body, which lets you know how much is in the sprayer
- Viton seals, which give the best resistancy to the widest range of chemicals

Specifications

- Total capacity: 2 litres
- Working capacity: 1.8 litres

Uses

- General purpose spraying
- Household
- Industrial
- Automotive applications
- Oils
- Lubricants
- Scale removers

Materials

- Polypropylene
- Polyethylene
- Plated Steel
- Viton

Packing Speicification

9 Per Carton 216 Half Pallet 378 Full Pallet



Pressure Sprayers

Generic Features

- Produced from high quality materials with Viton seals for best overall resistancy
- A reinforced semi-transparent container with level graduations and a 10cm-wide filler funnel, making it easy to fill
- An adjustable nozzle meaning you can create a fine spray, a coarse spray or a jet spray, that can be fixed straight or at an angle, making it easy to use
- A filter in the handle, which stops blockages within the discharge valve
- A safety pressure-release valve, which prevents over-pressurising

Materials

Polypropylene, polyethylene and stainless steel. The seals are made from Viton.



SA5 – Sprayer – 6lt Viton Seals

Features

- A lance clip in the handle, which holds the lance in a fixed position when not in use
- A carrying strap, making it comfortable to use

Specifications

- Total capacity: 7.05 litres
- Working capacity: 6 litres

Uses

- General purpose spraying
- Household
- Industrial
- Automotive applications
- Oils
 Lubricants
- Scale removers

10

Pressure Sprayers

SA10 – Sprayer – 8.5lt Viton Seals

Specifications • Total capacity: 10.75 litres

• Working capacity: 8.5 litres





SA12 – Sprayer – 11lt Knapsack Viton Seals

Features

- Is 100 per cent hermetic, ensuring it is completely sealed
- A lance clip, which holds the lance in a fixed position when not in use
- An extension lance, so you can increase the length from 650mm to 1050mm
- Two adjustable carrying straps, making it comfortable to use
- A convenient handle for carrying the sprayer when not in use
- Can be assembled with the pump on the left or the right, to suit your preference

Specifications

- Total capacity: 12 litres
- Working capacity: 11 litres

Uses

- Horticultural
- IndustrialConstruction
- Farming
- ranning
- Automotive applications
 Weedkillers
- Timber treatments
- Pesticides
- Detergents
- Oils

SA15 – Sprayer – 12lt on Trolley Viton Seals

Features

- A cost effective trolley system allowing the safe transport of 12 litres of product
- A 40 cm extension lance, giving 86cm reach from the handle
- A lance clip in the trolley handle, which holds the lance in a fixed position when not in use

Specifications

- Total capacity: 15 litres
- Working capacity: 12 litres

Uses

- General purpose spraying
- Household
- Industrial
- Automotive applications
 - Oils
 - Lubricants
- Scale removers

The Products

- Excellent range to meet market requirements – products in demand
- Competitive prices better margins or lower overheads
- Extensive range provides more solutions for your requirement
- Quality confidence in your purchasing decision

The Service

- Staff with more than 24 years' experience providing solutions to your problems
- Flexible with customisation or ordering to your requirement providing bespoke solutions
- Professional, efficient and friendly easy and enjoyable to deal with
- Answers, prices & samples delivered quickly helps you deliver the best service for your customers
- Reliable (we do what we say) gives you confidence and builds a good business partnership
- Bespoke Dip Tube cutting
 service provided in house
- Pump to Cap fitting
 service provided in house
- Stock and serve
 service available

The Supply

- Large inventory at our own premises stock delivered when you want it
- Quick delivery (often next day) reduces your stock
 and solves urgent requirements
- Centrally situated in the Midlands accessible for collections
- Low minimum order quantities test new products in the market

For further information on our products go to our website at www.sema-sprayers.co.uk, email us at sema@sema-sprayers.co.uk or call us on 0845 634 6655



Taylor Davis Limited T/A Sema Sprayers Company No. 00978584 | VAT Registration No. 639 5858 80

T: 01926 482841 T: 07902 166460 E: sema@sema-sprayers.co.uk W: www.sema-sprayers.co.uk